

## Boom Lift License London

Boom Lift License London - Only completely licensed persons must operate an aerial boom lift. Qualification can be obtained through a combination of sessions in the classroom and practical training with the specific kind of aerial lift which will be used on the job. A License is needed for any individual who operates or works on an aerial boom lift.

Vehicle-mounted aerial devices include the following work vehicles: extensible boom platforms, aerial ladders, vertical towers, articulating boom platforms, and whatever combination of these types.

When utilizing a boom lift, there are several basic safety rules which apply to all boom lifts. Safety of the worker is a main concern while they are working within the basket. The worker should at all times put on a body harness and lanyard, connecting it to the basket or boom. Never tie off to a structure, equipment or an adjacent pole. Staff must stand on the floor of the basket, and never climb or sit on the basket edge. The load restrictions of the manufacturer should be followed.

Aerial lift operators should be authorized to utilize the machinery. The operator must know all the aspects of the device and should have access to the manufacturers guidebook which must be kept within the lift. Operators are responsible for ensuring that safety measures are followed in the operation of the lift. A daily test of lift controls should be done. Position outriggers and set brakes (if they are used) on pads or a stable surface. When working on a slope, use wheel chocks.

Never move an aerial lift truck with an elevated boom while workers are inside the basket. Articulating boom and extensible boom platforms made use of as personnel carriers should have accessible, plainly marked, upper controls. Except in emergency cases, lower controls must not be used to override upper controls unless the individual inside the lift gives consent.

Do not wear tree or pole climbers shall while working from an aerial lift.

The insulated portion of the aerial lift should not be altered.

Make sure that the booms are thoroughly inspected, that the machinery is correctly cradled and the outriggers are in the stowed position prior to moving.

When operating a boom lift next to power lines, make sure that the lines are di-electrically tested based on local rules.